

Patent Assignment Abstract of Title

Total Assignments: 1**Application #:** 09680030 **Filing Dt:** 10/04/2000**Patent #:** NONE**Issue Dt:****PCT #:** NONE**Publication #:** NONE**Pub Dt:****Inventors:** Peter Coad, Dietrich Charisius, Alexander Aptus**Title:** Method and system for generating, applying, and defining a pattern**Assignment: 1****Reel/Frame:** 011438/0728 **Received:**
01/23/2001**Recorded:**
01/05/2001**Mailed:**
03/30/2001**Pages:**
2**Conveyance:** ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).**Assignors:** COAD, PETER**Exec Dt:** 11/12/2000CHARISIUS, DIETRICH**Exec Dt:** 11/12/2000APTUS, ALEXANDER**Exec Dt:** 11/12/2000**Assignee:** TOGETHERSOFT CORPORATION

920 MAIN CAMPUS DRIVE, SUITE 410

RALEIGH, NORTH CAROLINA 27606

Correspondent: SONNENSCHN NATH & ROSENTHAL

MARINA SAITO

WACKER DRIVE STATION

P.O. BOX 061080

CHICAGO, IL 60606-1080

Search Results as of: 3/10/2004 12:22:37 P.M.

If you have any comments or questions concerning the data displayed, contact OPR / Assignments at 703-308-9723
Web interface last modified: Oct. 5, 2002

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> L25 and l8 </div>
Display:	<div style="border: 1px solid black; padding: 2px;">10</div> Documents in Display Format: <div style="border: 1px solid black; padding: 2px;">TI,AB</div> Starting with Number <div style="border: 1px solid black; padding: 2px;">1</div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Wednesday, March 10, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L26</u>	L25 and l8	15	<u>L26</u>
<u>L25</u>	client and server and (execut\$ near5 client\$) and (policy\$ or rule\$) and (exclude\$ or remov\$ or delet\$)	1320	<u>L25</u>
<u>L24</u>	L23 and l8	1	<u>L24</u>
<u>L23</u>	client and server and (execut\$ near5 client\$) and (policy\$ or rule\$) and (exclude\$ or remov\$ or delet\$) near5 (policy or rule)	86	<u>L23</u>
<u>L22</u>	l1 and l8	0	<u>L22</u>
<u>L21</u>	l2 and l8	0	<u>L21</u>
<u>L20</u>	709/217.ccls.	1599	<u>L20</u>
<u>L19</u>	709/201,203.ccls.	2784	<u>L19</u>
<u>L18</u>	717/103.ccls.	26	<u>L18</u>
<i>DB=TDBD; PLUR=YES; OP=ADJ</i>			
<u>L17</u>	(push\$ or invok\$) near5 script\$ near4 (procedur\$ or process\$ or method\$) and (remot\$ or distribut\$) and (method\$ or process\$ or procedur\$) near5 execut\$ near7 client\$	0	<u>L17</u>

DB=DWPI; PLUR=YES; OP=ADJ

L16 (push\$ or invok\$) near5 script\$ near4 (procedur\$ or process\$ or method\$) and
(remot\$ or distribut\$) and (method\$ or process\$ or procedur\$) near5 execut\$ near7 client\$ 0 L16

DB=JPAB; PLUR=YES; OP=ADJ

L15 (push\$ or invok\$) near5 script\$ near4 (procedur\$ or process\$ or method\$) and
(remot\$ or distribut\$) and (method\$ or process\$ or procedur\$) near5 execut\$ near7 client\$ 0 L15

DB=EPAB; PLUR=YES; OP=ADJ

L14 (push\$ or invok\$) near5 script\$ near4 (procedur\$ or process\$ or method\$) and
(remot\$ or distribut\$) and (method\$ or process\$ or procedur\$) near5 execut\$ near7 client\$ 0 L14

DB=USOC; PLUR=YES; OP=ADJ

L13 (push\$ or invok\$) near5 script\$ near4 (procedur\$ or process\$ or method\$) and
(remot\$ or distribut\$) and (method\$ or process\$ or procedur\$) near5 execut\$ near7 client\$ 0 L13

DB=PGPB; PLUR=YES; OP=ADJ

L12 (push\$ or invok\$) near5 script\$ near4 (procedur\$ or process\$ or method\$) and
(remot\$ or distribut\$) and (method\$ or process\$ or procedur\$) near5 execut\$ near7 client\$ 7 L12

DB=USPT; PLUR=YES; OP=ADJ

L11 707/204,206.ccls. 1006 L11

L10 709/202,203,219.ccls. 3405 L10

L9 L8 and l7 0 L9

L8 717/169,170,171,172,175,176,177.ccls. 435 L8

L7 L6 and execut\$ 4 L7

L6 l2 and (set\$ near5 polic\$) 4 L6

L5 L4 and (exclud\$ or ommit\$ or remov\$) 4 L5

L4 L3 and (polic\$ or rule\$ or command\$) 6 L4

L3 L2 and (method\$ or process\$ or procedur\$) near5 execut\$ near7 client\$ 8 L3

L2 L1 and (remot\$ or distribut\$) 104 L2

L1 (push\$ or invok\$) near5 script\$ near4 (procedur\$ or process\$ or method\$) 134 L1

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	4831580.pn.
--------------	-------------

Display:	<input type="text" value="100"/>	Documents in Display Format:	<input type="text" value="TI,AB"/>	Starting with Number	<input type="text" value="1"/>
-----------------	----------------------------------	-------------------------------------	------------------------------------	-----------------------------	--------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Wednesday, March 10, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L41</u>	4831580.pn.	1	<u>L41</u>
<u>L40</u>	4882756.pn.	1	<u>L40</u>
<u>L39</u>	4901352.pn.	1	<u>L39</u>
<u>L38</u>	5014327.pn.	1	<u>L38</u>
<u>L37</u>	5121465.pn.	1	<u>L37</u>
<u>L36</u>	5189709.pn.	1	<u>L36</u>
<u>L35</u>	5200888.pn.	1	<u>L35</u>
<u>L34</u>	5463701.pn.	1	<u>L34</u>
<u>L33</u>	5587918.pn.	1	<u>L33</u>
<u>L32</u>	5661763.pn.	1	<u>L32</u>
<u>L31</u>	5661763.pn.	1	<u>L31</u>
<u>L30</u>	5748769.pn.	1	<u>L30</u>
<u>L29</u>	5768590.pn.	1	<u>L29</u>
<u>L28</u>	5916305.pn.	1	<u>L28</u>
<u>L27</u>	L26 and indicat\$	1	<u>L27</u>

<u>L26</u>	l19 and language\$	1	<u>L26</u>
<u>L25</u>	l19 and (variation\$ or chang\$ or alter\$ or modif\$)	1	<u>L25</u>
<u>L24</u>	l19 and user\$	1	<u>L24</u>
<u>L23</u>	L22 and (match\$ near5 pattern\$)	1	<u>L23</u>
<u>L22</u>	l19 and (display\$ Or retriev\$ or view\$)	1	<u>L22</u>
<u>L21</u>	l19 and (display\$ Or retriev\$ or view\$) near5 (match\$ near5 pattern\$)	0	<u>L21</u>
<u>L20</u>	L19 and receiv\$ near5 (pattern\$ Or element\$ or type\$)	1	<u>L20</u>
<u>L19</u>	6122757.pn.	1	<u>L19</u>
<u>L18</u>	L17 and match\$	94	<u>L18</u>
<u>L17</u>	L16 and (modif\$ or alter\$ or chang\$) near5 (role\$ or pattern\$ or indication\$)	124	<u>L17</u>
<u>L16</u>	L15 and (software\$ or code\$ or program\$) near5 (creat\$ or generat\$ or develop\$) near5 (language\$ or pattern\$)	883	<u>L16</u>
<u>L15</u>	receiv\$ near5 (language\$ or software\$)	12615	<u>L15</u>
<u>L14</u>	6459435.pn.	1	<u>L14</u>
<u>L13</u>	L12 and (role\$ near5 pattern\$)	0	<u>L13</u>
<u>L12</u>	(software\$ near4 element\$) and (element\$ near5 role\$)	48	<u>L12</u>
<u>L11</u>	receiv\$ near5 indication\$ near5 (software near4 element\$)	1	<u>L11</u>
<u>L10</u>	l2 and (object oriented)	9	<u>L10</u>
<u>L9</u>	l3 and (object oriented)	2	<u>L9</u>
<u>L8</u>	L7 and (software\$ or code\$ or program\$) near5 (match\$ near5 pattern\$)	48	<u>L8</u>
<u>L7</u>	L6 and (generat\$ or creat\$ or develop\$) near5 (software\$ or code\$ or program\$)	367	<u>L7</u>
<u>L6</u>	l1 and object oriented and language\$	452	<u>L6</u>
<u>L5</u>	l4 and object oriented and language\$	2	<u>L5</u>
<u>L4</u>	L3 and (varia\$ or modif\$ or alter\$ or chang\$) near5 pattern\$	29	<u>L4</u>
<u>L3</u>	L2 and (receiv\$ or accept\$) near5 pattern\$	48	<u>L3</u>
<u>L2</u>	L1 and (generat\$ or creat\$ or develop\$) near5 (software\$ or code\$ or program\$) near5 (match\$ near5 pattern\$)	131	<u>L2</u>
<u>L1</u>	(match\$ near5 pattern\$)	17904	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L1 and miss\$	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L20

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Wednesday, March 10, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L20</u>	l1 and miss\$	0	<u>L20</u>
<u>L19</u>	l1 and first and second and pattern and match\$	1	<u>L19</u>
<u>L18</u>	l1 and (play\$ or role\$)	1	<u>L18</u>
<u>L17</u>	l1 and pluralit\$	1	<u>L17</u>
<u>L16</u>	l1 and (location\$ near9 code\$)	1	<u>L16</u>
<u>L15</u>	l1 and note\$	1	<u>L15</u>
<u>L14</u>	l1 and comment\$	0	<u>L14</u>
<u>L13</u>	l1 and (stor\$ near9 pattern\$)	1	<u>L13</u>
<u>L12</u>	l1 and suitable\$	0	<u>L12</u>
<u>L11</u>	l1 and (identi\$ and language\$ or code\$ or program\$)	1	<u>L11</u>
<u>L10</u>	l1 and (chang\$ or modif\$ or alter\$ or updat\$ or new\$)	1	<u>L10</u>
<u>L9</u>	l1 and (no\$ same match\$)	1	<u>L9</u>
<u>L8</u>	l1 and (no\$ near5 match\$)	1	<u>L8</u>

<u>L7</u>	l1 and (user\$ or customer\$) and (select\$ or determin\$) and (match\$ near4 pattern\$)	1	<u>L7</u>
<u>L6</u>	l1 and (input same match same pattern\$)	1	<u>L6</u>
<u>L5</u>	l1 and display\$	1	<u>L5</u>
<u>L4</u>	l1 and (display\$ Or view\$ or retriev\$ or window\$ or graphical\$) near5 (pattern\$ or match\$)	1	<u>L4</u>
<u>L3</u>	l1 and (match\$ near5 pattern\$)	1	<u>L3</u>
<u>L2</u>	L1 and (receiv\$ or accept\$ or input\$) near5 (type\$ or pattern\$ or element\$)	1	<u>L2</u>
<u>L1</u>	6122757.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

Search Results -

Terms	Documents
L1 and miss\$	0

US Pre-Grant Publication Full-Text Database

Database: US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L20

[Refine Search](#)

[Clear](#)

[Interrupt](#)

Search History

DATE: Wednesday, March 10, 2004 [Printable Copy](#) [Create Case](#)

Set Name **Query**
side by side
DB=USPT; PLU

Hit Count **Set Name**
result set